

14. (Thrice Amended) A portable terminal apparatus comprising:
a display for displaying received information;
an indicator for performing an extraction of an information identification code and
indicating a transmission of the information identification code to an external device, which
acquires information corresponding to the information identification code by a same single
physical key by a single operation, wherein the information identification code specifies
information stored in the external device and indicates to the external device to display a window
for designating printing conditions of the information;
an extraction unit for, when an extraction of an information identification code is
indicated by said indicator, extracting at once all of an extractable information identification code
from the information displayed by said display;
a memory for storing the information identification code extracted by said
extraction unit; and
a transmitter for, when transmission of an information identification code is
indicated by said indicator, transmitting at once all of the information identification code stored
in said memory to the external device.

22. (Thrice Amended) A method of controlling a portable terminal apparatus,
said method comprising:
a display step of displaying received information;
an extraction indication step of performing an extraction of an information
identification code and indicating a transmission of the information identification code to an
external device, which acquires information corresponding to the information identification code

by a same single physical key by a single operation, wherein the information identification code specifies information stored in the external device and indicates to the external device to display a window for designating printing conditions of the information;

D2
SUB
E1
an extraction step of, when an extraction of an information identification code is indicated in said extraction indication step, extracting at once all of an extractable information identification code from the information displayed in said display step;

a storage step of storing the information identification code extracted in said extraction step; and

a transmission step of, when transmission of an information identification code is indicated in said extraction indication step, transmitting at once all of the information identification code stored in said storage step to the external device.

24. (Thrice Amended) A computer-readable storage medium storing a program for implementing a method of controlling a portable terminal apparatus, the program comprising:

SUB
E1
program code of a display step of displaying received information;

D3
program code of an extraction indication step of performing an extraction of an information identification code and indicating a transmission of the information identification code to an external device, which acquires information corresponding to the information identification code by a same single physical key by a single operation, wherein the information identification code specifies information stored in the external device and indicates to the external device to display a window for designating printing conditions of the information;

program code of an extraction step of, when an extraction of an information identification code is indicated in the extraction indication step, extracting at once all of an

DB
SUB
E1

extractable information identification code from the information displayed in the display step;
program code of a storage step of storing the information identification code
extracted in the extraction step; and
program code of a transmission step of, when a transmission of an information
identification code is indicated in the extraction indication step, transmitting at once all of the
information identification code stored in the storage step to the external device.

SCUB
E1

26. (Twice Amended) A computer program product embodying a program for
implementing a method of controlling a portable terminal apparatus, said program product
comprising:

program code of a display step of displaying received information;
program code of an extraction indication step of an extraction of an information
identification code and indicating a transmission of the information identification code to an
external device, which acquires information corresponding to the information identification code
by a same single physical key by a single operation, wherein the information identification code
specifies information stored in the external device and indicates to the external device to display
a window for designating printing conditions of the information;

program code of an extraction step of, when an extraction of an information
identification code is indicated in the extraction indication step, extracting at once all of an
extractable information identification code from the information displayed in the display step;
program code of a storage step of storing the information identification code
extracted in the extraction step; and
program code of a transmission step of, when a transmission of an information

DE